

CALIFORNIA LICENSED MIDWIFE ANNUAL REPORT

Summary

as of 7/12/2018 8:36:55 AM

SECTION A - Submission Summary

Number of Midwives Expected to Report	449
Number Reported	398
Number Unreported	51
Note: Report Field Numbers 1 through 10 are specific to each midwife report submitted and are not included in this aggregation.	

SECTION B - REPORTING PERIOD

Line No.	Report Year
11	2017

SECTION C - SERVICES PROVIDED IN CALIFORNIA - This report should reflect services provided in California only.

Line No.		Total # Yes	Total # No
12	Did you or a student midwife supervised by you perform midwife services in the State of California during the year when the intended place of birth at the onset of your care was an out-of-hospital setting?	260	138

SECTION D - CLIENT SERVICES

Line No.		Total #
13	Total number of clients served as primary caregiver during this calendar year.	5932
14	Number of clients who left care for a non-medical reason. (DO NOT include these clients in any further categories on this report)	258
15	Total number of clients served whose births were still pending on the last day of this reporting year.	1363
16	Enter the number of clients served who also received collaborative care. IMPORTANT: SEE DEFINITION OF COLLABORATIVE CARE!	2665
17	Enter the number of clients served under the supervision of a licensed physician and surgeon. IMPORTANT: SEE DEFINITION OF SUPERVISION!	228

SECTION E - OUTCOMES PER COUNTY IN WHICH BIRTH, FETAL DEMISE, OR INFANT OR MATERNAL DEATH OCCURRED

(A1) County Code	(A2) County Name	(B) # of Live Births	(C) # of Cases Fetal Demise	(D) # of Infant Deaths	(E) # of Maternal Deaths	(A1) County Code	(A2) County Name	(B) # of Live Births	(C) # of Cases Fetal Demise	(D) # of Infant Deaths	(E) # of Maternal Deaths
01	ALAMEDA	373	2	0	0	30	ORANGE	154	1	1	0
02	ALPINE	0	0	0	0	31	PLACER	43	0	0	0
03	AMADOR	1	0	0	0	32	PLUMAS	2	0	0	0
04	BUTTE	22	1	0	0	33	RIVERSIDE	152	1	0	0
05	CALAVERAS	7	0	0	0	34	SACRAMENTO	113	0	0	0
06	COLUSA	2	0	0	0	35	SAN BENITO	2	0	0	0
07	CONTRA COSTA	41	0	0	0	36	SAN BERNARDINO	174	1	0	0
08	DEL NORTE	3	0	0	0	37	SAN DIEGO	270	1	0	0
09	EL DORADO	30	0	0	0	38	SAN FRANCISCO	121	1	0	0
10	FRESNO	48	0	0	0	39	SAN JOAQUIN	16	0	0	0
11	GLENN	1	0	0	0	40	SAN LUIS OBISPO	33	0	0	0
12	HUMBOLDT	65	0	0	0	41	SAN MATEO	49	0	0	0
13	IMPERIAL	0	0	0	0	42	SANTA BARBARA	139	1	0	0
14	INYO	0	0	0	0	43	SANTA CLARA	113	1	0	0
15	KERN	51	0	0	0	44	SANTA CRUZ	82	1	0	0
16	KINGS	0	0	0	0	45	SHASTA	92	0	0	0
17	LAKE	4	0	0	0	46	SIERRA	1	0	0	0
18	LASSEN	5	0	0	0	47	SISKIYOU	24	0	0	0
19	LOS ANGELES	450	2	0	0	48	SOLANO	23	0	0	0
20	MADERA	2	0	0	0	49	SONOMA	80	0	0	0
21	MARIN	41	0	0	0	50	STANISLAUS	37	0	0	0
22	MARIPOSA	2	0	0	0	51	SUTTER	3	0	0	0
23	MENDOCINO	100	0	0	0	52	TEHAMA	4	0	0	0
24	MERCED	7	1	0	0	53	TRINITY	1	0	0	0
25	MODOC	0	0	0	0	54	TULARE	3	0	0	0
26	MONO	2	0	0	0	55	TUOLUMNE	48	1	0	0
27	MONTEREY	26	0	0	0	56	VENTURA	99	1	0	0
28	NAPA	10	0	0	0	57	YOLO	11	0	0	0
29	NEVADA	72	0	1	0	58	YUBA	15	0	0	0

SECTION F - OUTCOMES OF OUT-OF-HOSPITAL BIRTHS

Line No.		Total #
19	Number of planned out-of-hospital births at the onset of labor	3981
20	Number of completed births in an out-of-hospital setting	3297
21	Breech deliveries	12
22	Successful VBAC's	152
23	Twins both delivered out-of-hospital	0
24	Higher Order Multiples - all delivered out-of-hospital	0

SECTION G - ANTEPARTUM TRANSFER OF CARE, ELECTIVE/NON-EMERGENCY

Line No.	Code	Reason	Total #
25	G1	Medical or mental health conditions <i>unrelated</i> to pregnancy	13
26	G2	Hypertension developed in pregnancy	43
27	G3	Blood coagulation disorders, including phlebitis	3
28	G4	Anemia	8
29	G5	Persistent vomiting with dehydration	3
30	G6	Nutritional & weight loss issues, failure to gain weight	1
31	G7	Gestational diabetes	10
32	G8	Vaginal bleeding	9
33	G9	Suspected or known placental anomalies or implantation abnormalities	12
34	G10	Loss of pregnancy (includes spontaneous and elective abortion)	96
35	G11	HIV test positive	0
36	G12	Suspected intrauterine growth restriction, suspected macrosomia	10
37	G12.1	Fetal anomalies	16
38	G13	Abnormal amniotic fluid volumes; oligohydramnios or polyhydramnios	33
39	G14	Fetal heart irregularities	6
40	G15	Non vertex lie at term	40
41	G16	Multiple gestation	22
42	G17	Clinical judgment of the midwife (where a single other condition above does not apply)	26
43	G18	Client request	60
44	G19	Other	54

SECTION H – ANTEPARTUM TRANSFER OF CARE, URGENT/EMERGENCY

Line No.	Code	Reason	Total #
45	H1	Non pregnancy-related medical condition	6
46	H2	Severe or persistent headache, pregnancy-induced hypertension (PIH), or preeclampsia	19
47	H3	Isoimmunization, severe anemia, or other blood related issues	1
48	H4	Significant infection	1
49	H5	Significant vaginal bleeding	6
50	H6	Preterm labor or preterm rupture of membranes	56
51	H7	Marked decrease in fetal movement, abnormal fetal heart tones, non-reassuring non-stress test (NST)	9
52	H8	Fetal demise	7
53	H9	Clinical judgment of the midwife (where a single other condition above does not apply)	4
54	H10	Other	2

SECTION I – INTRAPARTUM TRANSFER OF CARE, ELECTIVE/NON-EMERGENCY

Line No.	Code	Reason	Total #
55	I1	Persistent hypertension; severe or persistent headache	16
56	I2	Active herpes lesion	3
57	I3	Abnormal bleeding	2
58	I4	Signs of infection	5
59	I5	Prolonged rupture of membranes	51
60	I6	Lack of progress; maternal exhaustion; dehydration	284
61	I7	Thick meconium in the absence of fetal distress	30
62	I8	Non-vertex presentation	18
63	I9	Unstable lie or mal-position of the vertex	9
64	I10	Multiple gestation (NO BABIES DELIVERED PRIOR TO TRANSFER)	1
65	I11	Clinical judgment of the midwife (where a single other condition above does not apply)	17
66	I12	Client request; request for medical methods of pain relief	75
67	I13	Other	10

SECTION J – INTRAPARTUM TRANSFER OF CARE, URGENT/EMERGENCY

Line No.	Code	Reason	Total #
68	J1	Suspected preeclampsia, eclampsia, seizures	3
69	J2	Significant vaginal bleeding; suspected placental abruption; severe abdominal pain inconsistent with normal labor	5
70	J3	Suspected uterine rupture	2
71	J4	Maternal shock, loss of consciousness	1
72	J5	Prolapsed umbilical cord	0
73	J6	Non-reassuring fetal heart tones and/or signs or symptoms of fetal distress	50
74	J7	Clinical judgment of the midwife (where a single other condition above does not apply)	9
75	J8	Other life threatening conditions or symptoms	0
76	J9	Multiple gestation (AT LEAST ONE BABY HAS BEEN DELIVERED OUT-OF-HOSPITAL)	0

SECTION K – POSTPARTUM TRANSFER OF CARE - MOTHER, ELECTIVE/NON-EMERGENCY

Line No.	Code	Reason	Total #
77	K1	Adherent or retained placenta without significant bleeding	14
78	K2	Repair of laceration beyond level of midwife's expertise	27
79	K3	Postpartum depression	2
80	K4	Social, emotional or physical conditions outside of scope of practice	0
81	K5	Excessive or prolonged bleeding in later postpartum period	10
82	K6	Signs of infection	7
83	K7	Clinical judgment of the midwife (where a single other condition above does not apply)	2
84	K8	Client request	1
85	K9	Other	6

SECTION L – POSTPARTUM TRANSFER OF CARE - MOTHER, URGENT/EMERGENCY

Line No.	Code	Reason	Total #
86	L1	Abnormal or unstable vital signs	2
87	L2	Uterine inversion, rupture or prolapse	2
88	L3	Uncontrolled hemorrhage	12
89	L4	Seizures or unconsciousness, shock	2
90	L5	Adherent or retained placenta with significant bleeding	16
91	L6	Suspected postpartum psychosis	1
92	L7	Signs of significant infection	2
93	L8	Clinical judgment of the midwife (where a single other condition above does not apply)	1
94	L9	Other	3

SECTION M – TRANSFER OF CARE - INFANT, ELECTIVE/NON-EMERGENCY

Line No.	Code	Reason	Total #
95	M1	Low birth weight	2
96	M2	Congenital anomalies	8
97	M2.1	Birth injury	0
98	M3	Poor transition to extrauterine life	7
99	M4	Insufficient passage of urine or meconium	0
100	M5	Parental request	1
101	M6	Clinical judgment of the midwife (where a single other condition above does not apply)	7
102	M7	Other	6

SECTION N – TRANSFER OF CARE - INFANT, URGENT/EMERGENCY

Line No.	Code	Reason	Total #
103	N1	Abnormal vital signs or color, poor tone, lethargy, no interest in nursing	16
104	N2	Signs or symptoms of infection	6
105	N3	Abnormal cry, seizures or loss of consciousness	0
106	N4	Significant jaundice at birth or within 30 hours	2
107	N5	Evidence of clinically significant prematurity	1
108	N6	Congenital anomalies	3
109	N6.1	Birth injury	0
110	N7	Significant dehydration or depression of fontanelles	0
111	N8	Significant cardiac or respiratory issues	21
112	N9	Ten minute APGAR score of six (6) or less	4
113	N10	Abnormal bulging of fontanelles	0
114	N11	Clinical judgment of the midwife (where a single other condition above does not apply)	1
115	N12	Other	2

SECTION O – BIRTH OUTCOMES AFTER TRANSFER OF CARE

Line No.	Reason	(A) Total # of Vaginal Births		(B) Total # of Caesarean Deliveries	
		Code		Code	
MOTHER					
116	Without complication	O1	682	O8	304
117	With serious pregnancy/birth related medical complications resolved by 6 weeks	O2	17	O9	13
118	With serious pregnancy/birth related medical complications <u>not</u> resolved by 6 weeks	O3	3	O10	1
119	Death of mother	O4	0	O11	0
120	Unknown	O5	3	O12	1
121	Information not obtainable	O6	2	O13	0
122	Other	O7	1	O14	1
INFANT					
123	Healthy live born infant	O15	647	O24	252
124	With serious pregnancy/birth related medical complications resolved by 4 weeks	O16	26	O25	4
125	With serious pregnancy/birth related medical complications <u>not</u> resolved by 4 weeks	O17	10	O26	12
126	Fetal demise diagnosed prior to labor	O18	6	O27	0
127	Fetal demise diagnosed during labor or at delivery	O19	4	O28	3
128	Live born infant who subsequently died	O20	3	O29	2
129	Unknown	O21	3	O30	0
130	Information not obtainable	O22	2	O31	0
131	Other	O23	10	O32	0

SECTION P – COMPLICATIONS LEADING TO MATERNAL AND/OR INFANT MORTALITY

Line No.	Complication	Out-of-Hospital (A)		After Transfer (B)		Total # from (A) and (B) (C)	
		Code		Code		Code	
MOTHER							
132	Blood loss	P8	0	P15	0	P1	0
133	Sepsis	P9	0	P16	0	P2	0
134	Eclampsia/toxemia or HELLP syndrome	P10	0	P17	0	P3	0
135	Embolism (pulmonary or amniotic fluid)	P11	0	P18	0	P4	0
136	Unknown	P12	0	P19	0	P5	0
137	Information not obtainable	P13	0	P20	0	P6	0
138	Other	P14	0	P21	0	P7	0
INFANT							
139	Anomaly incompatible with life	P30	0	P38	2	P22	2
140	Infection	P31	1	P39	0	P23	1
141	Meconium aspiration, other respiratory	P32	0	P40	0	P24	0
142	Neurological issues/seizures	P33	0	P41	2	P25	2
143	Other medical issue	P34	0	P42	0	P26	0
144	Unknown	P35	0	P43	1	P27	1
145	Information not obtainable	P36	0	P44	0	P28	0
146	Other	P37	1	P45	0	P29	1